一個靈活可移動的安靜艙，能滿足您很多創意空間
不傳統的可循環碳塑再生材料是它的主要材料
SOLIDWORKS 軟件力學建模讓艙體組裝僅需一種緊扣件
INSUL MARSHALL ACOUSTIC 聲學模擬設計
準確預知并實現了艙體隔聲和艙室聲環境指標
迷宮風道配置正壓渦輪低噪新風系統，高效更新艙室空氣
艙室自然光中央照明，適配不同標準的輸入和輸出電源系統
Soundbox工程師都爲可預見性拓展作好了準備
每個艙體都預置了不同應用場景的家具安裝節點
它是一個强大，盡管不是最完美的迷你空間

A creative silent space, fulfilling your demands for various creative works.
The self-developed carbon polymer composite panel, aviation aluminum
and insulating glass forms the main structure of the booth.
SOLIDWORKS mechanics modeling simplifies the booth assembly with
only one type of fastener.
INSUL MARSHALL ACOUSTIC simulation ensures well designed and
performed sound transmission & insulation property of the booth.
Labyrinth duct configuration with positive pressure turbine low noise
fresh air system, efficiently ensure fresh air in the booth.
Natural light central lighting in the booth is adapted to different
standards of input and output power systems.
Soundbox designers are prepared for predictable expansion, so each
booth is pre-programmed with furniture installation nodes for different
application scenarios.
It is a powerful and useful, though not the most perfect mini-space.

静音艙

SR series

MOVABLE SILENCE BOOTH
静音艙

soundbox®

基因。

---

soundbox是聲學技術公司，我們基于對環境聲學的理解
**遵循心理聲學和生理聲學的科學態度，設計和研發每一款聲學産品**

GENES

Soundbox is an acoustic technology company. Based on the understanding of
environmental acoustics, we follow the scientific attitude of psychoacoustics
and physiological acoustics to design and develop each acoustic products.

进化。

Soundbox 是"静音艙"的創造者和命名者
從 2012年的第一款工業應用"静音艙"
到 2016年推出國内首款商用"静音艙"
都是聲學應用技術的演譯作品；

EVOLUTION

Soundbox is the creator and namesake of the "Silence Booth"
Starting from the first industrial application of "Silence Booth" in 2012,
We launched the very first commercial "Silence Booth" 2016 in China.
They are the evolutionary works of acoustic application technology.

灵动。

一個靈動的安靜空間，滿足您無限創想
不傳統的碳塑復合板、航空鋁、隔聲玻璃是它的主要組成
SOLIDWORKS 軟體力學建模讓艙體組裝僅需一種緊扣件
INSUL MARSHALL ACOUSTIC 聲學模擬設計
準確預知并實現了艙體隔聲和艙室聲環境指標
它是一個強大，盡管不是最完美的迷你空間

FLEXIBILITY

Soundbox Silence booth, a creative silent space, fulfilling your demands for various creative works. The self-developed carbon polymer composite panel, aviation aluminum and insulating glass forms the main structure of the booth. SOLIDWORKS mechanics modeling simplifies the booth assembly with only one type of fastener. INSUL MARSHALL ACOUSTIC simulation ensures well designed and performed sound transmission & insulation property of the booth. Soundbox silence booth is a powerful and useful, though not the most perfect mini-space.

低碳。

Soundbox 首家采用可循環碳塑再生材料的"靜音艙"
每臺艙碳足迹≤0.071kg CO2e，能源消耗≤0.4MJ
空氣酸化≤0.0001kg SO2e，水體富營養化≤0.00002 PO4
用科技阿護我們的地球家園

LOW CARBON

Soundbox "Silence Booth" is the first company use recycled carbon plastic materials.
For each Soundbox booth:
Carbon footprint ≤0.071kg CO2e, energy consumption ≤0.4MJ
Air acidification ≤0.0001kg SO2e, water eutrophication ≤0.00002 PO4
Care for our global home with technology.

The SR series
MOVABLE
SILENCE BOOTH

標準版
SR Contracted

SR系列"静音艙"推崇低碳、簡約、安全、實用主義
優化非必要的功能和配置。纖薄的全R角外觀和素雅配色
讓它更纖、精致、融入環境

SR Series "Silence Booth" promotes low-carbon, simple, safe
and practicalism.
Optimize non-essential features and configurations.
The fine R-angle appearance and elegant color scheme make
it looks delicate, and easily integrated into the environment.

隔聲玻璃 Sound insulation tempered glass

自由拼裝移動的隔聲艙體，不止于要求苛刻的安生性玻璃。
Soundbox工程師把目光聚集於高速運行時高噪諧震的列車車廂玻璃，多次的材質實體檢測對照，優良的隔聲和安全數據證實了聲學工程師的選擇。

With multiple laboratory tested results, conventional glass is not able to fulfill our needs to achieve our desired noise reduction performance, we had tested and chosen to use tempered glass.


阻尼腳墊 Damping feet

承載力和阻尼系數是減振膠墊的基礎數據，即使是使用于不需展示的艙底部位，Soundbox堅持採用原生膠改性物料，親民的寬頻阻尼承壓指數和耐老化記憶周期，無疑是阻尼減振物料的聰明選擇。配合觸點式懸空設計，大限度阻止艙體與建築接觸面聲橋效應，構建了一個隔聲減振的成功聲學模型。觸點懸空適應不同地面狀況，利于艙體防潮抗污和清潔維護。8mm縫隙適配"易搬遷"工具，輕鬆實現艙體同層移動調整的訴求。

Bearing capacity and damping coefficient are the basic data for designing vibration-damping products. Soundbox insists on the use of virgin rubber modified material for damping parts because such rubber has much better damping coefficient and it is more durable. At the bottom of Soundbox Silence Booth, there are four damping "feet" to supporting the booth. Thanks to the damping "feet", the Silence Booth is not standing on the floor directly; however, there is an 8mm gap between the bottom and floor. Therefore, the acoustic bridge is largely prevented between the booth and the floor. The damping feet design makes it easier to adapt to different ground conditions. More importantly, the 8mm gap is specially designed for a movable booth. This gap is just good for our moving tool. Moving the Silence Booth on the same floor is no longer an exhausting work!

渦輪新風 Turbo fresh air system

大風壓低噪聲正壓渦輪新風系統，迷宮式風道有效減少艙室內外的竊聲可能，125m³/h大風量運行效率，每兩分鐘更新一次空氣，保障艙室良好的含氧量和二氧化碳負壓排出。

High air pressure and low noise positive pressure turbine fresh air system, and labyrinth type air ducts effectively reduce the possibility of fugitive sound inside and outside the booth. With the 125m³/h large air volume operation efficiency, air circulates every two minutes, and these ensure good oxygen content and negative carbon dioxide pressure in the booth.

配置 Preferred furniture

結合人體工程學專爲艙室空間設計的家具配置，是迎合靜音艙辦公和休閒場景的重要組成。同時，Soundbox設計師都爲可預見性拓展作好了準備，每個艙體都預置了不同應用場景的家具安裝節點。

The ergonomically designed furniture configuration for the booth space is an important component of the Silence booth office and leisure scenarios. At the same time, Soundbox designers are prepared for predictable expansion, each cabin is pre-programmed with furniture installation nodes for different applications.

隔音 Sound Insulation

INSUL MARSHALL ACOUSTIC 聲學模擬設計，準確預知并實現了艙體隔聲和艙室聲環境指標。預置的標準版和增强版艙體，迎合不同使用場景的訴求。

INSUL MARSHALL ACOUSTIC acoustic simulation accurately predict and realize the sound insulation performance of the booth. And the standard and PLUS versions cater to the requirements of different usage scenarios.

照明 Lighting

艙室 4000K自然光色温LED 中央照明系統，不同規格的艙體空間，迎合應用場景訴求標配不同的環境照明光系統。

The booth is equipped with the 4000K natural light color temperature LED central main lighting system. But there will be different set-up fitting to various sizes, so as to ensure well performance of different booth.

鎖扣裝配 Fastening assemble

Soundbox工程師們拒絕了傳統依賴鏍絲、射釘、膠水的結構裝配方案。通過精準的 SOLIDWORKS 軟體力學建模，發明了艙體組裝僅需一種90° 緊固鎖扣的現實。

Our design philosophy has always emphasized on simplicity and minimalistic approach; hence our whole model only utilizes 90°-degree fasteners.


觸感雷達 Motion Sensor

作爲一款適應于公共使用的靜音艙，節能安全管理是不可或缺的配置。 soundbox裝配觸感雷達系統時刻探索着艙内動態，通過掃描數據向電控裝置發送執行指令，開啓或關閉燈光通風系統。

We care about energy saving and environment protection. Soundbox Silence Booth is equipped with motion sensor to control the lighting and ventilation system. It will be fully functioning when, and only when you are inside the booth.

品名型號	SR-S（F1）		Product model	SR-S（F1）

S115 S235 S169 S201 S211

艙內配備	★適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求 ★艙室4000K/421LM自然光中央照明系統 ★渦輪正壓新風系統 ★紅外感應啓動裝置+手動開關 ★應急安全槌	Booth facilities	★ 100-240V/50-60Hz power supply. ★ 4000K/421LM natural lighting system. ★ Turbo fresh air system. ★ Motion sensor and switch control for light and fan. ★ Emergency safety hammer.
家具配置	ST-01 壁挂桌 * 1 SY-01 高腳椅 * 1	Furniture options	ST-01 desk*1 SY-01 chair*1
規格重量	包裝：W2270*D550*H1080mm　艙體：W1000*D936*H2300mm 艙內：W840*D900*H2140mm　重量：毛重279kg / 净重235kg	Dimensions	Package size: W2270*D550*H1080mm　External size: W1000*D936*H2300mm Internal size: W840*D900*H2140mm　Gross weight: 279kg　Net weight: 235kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。
Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　頻率響應 Frequency response　隔聲測試 Sound insulation test　混響測試 Reverberation time test

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

---

品名型號	SR-S（F2）		Product model	SR-S（F2）

S115 S235 S169 S201 S211

艙內配備	★適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求 ★艙室4000K/421LM自然光中央照明系統 ★渦輪正壓新風系統 ★紅外感應啓動裝置+手動開關 ★應急安全槌	Booth facilities	★ 100-240V/50-60Hz power supply. ★ 4000K/421LM natural lighting system. ★ Turbo fresh air system. ★ Motion sensor and switch control for light and fan. ★ Emergency safety hammer.
家具配置	ST-02 壁挂桌 * 1 SY-01 高腳椅 * 1	Furniture options	ST-02 desk*1 SY-01 chair*1
規格重量	包裝：W2270*D550*H1080mm　艙體：W1000*D936*H2300mm 艙內：W840*D900*H2140mm　重量：毛重279kg / 净重235kg	Dimensions	Package size: W2270*D550*H1080mm　External size: W1000*D936*H2300mm Internal size: W840*D900*H2140mm　Gross weight: 279kg　Net weight: 235kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。
Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　頻率響應 Frequency response　隔聲測試 Sound insulation test　混響測試 Reverberation time test

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

|			
品名型號	SR-M（F3）	Product model	SR-M（F3）
艙內配備	★適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求 ★艙室4000K/879LM自然光中央照明系統 ★渦輪正壓新風系統 ★紅外感應啓動裝置+手動開關 ★應急安全槌	Booth facilities	★100-240V/50-60Hz power supply. ★4000K/879LM natural lighting system. ★Turbo fresh air system. ★Motion sensor and switch control for light and fan. ★Emergency safety hammer.
家具配置	ST-03 吧臺桌＊1 SY-01 高腳椅＊2	Furniture options	ST-03 desk*1 SY-01 chair*2
規格重量	包裝：W2270*D910*H1080mm 艙體：W1500*D1236*H2300mm 艙內：W1340*D1200*H2140mm 重量：毛重450kg / 淨重390kg	Dimensions	Package size: W2270*D910*H1080mm External size: W1500*D1236*H2300mm Internal size: W1340*D1200*H2140mm Gross weight: 450kg Net weight: 390kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note：The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility   頻率響應 Frequency response   隔聲測試 Sound insulation test   混響測試 Reverberation time test

新風 Ventilation   環保 Zero emission   抗菌 Anti-bacteria   隔音 Sound insulation   防水 Waterproof   阻燃 Fireproof

---

|			
品名型號	SR-M（F4）	Product model	SR-M（F4）
艙內配備	★適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求 ★艙室4000K/879LM自然光中央照明系統 ★渦輪正壓新風系統 ★紅外感應啓動裝置+手動開關 ★應急安全槌	Booth facilities	★100-240V/50-60Hz power supply. ★4000K/879LM natural lighting system. ★Turbo fresh air system. ★Motion sensor and switch control for light and fan. ★Emergency safety hammer.
家具配置	ST-04 辦公桌＊1 SY-02 辦公椅＊1	Furniture options	ST-04 desk*1 SY-02 chair*1
規格重量	包裝：W2270*D910*H1080mm 艙體：W1500*D1236*H2300mm 艙內：W1340*D1200*H2140mm 重量：毛重450kg / 淨重390kg	Dimensions	Package size: W2270*D910*H1080mm External size: W1500*D1236*H2300mm Internal size: W1340*D1200*H2140mm Gross weight: 450kg Net weight: 390kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note：The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility   頻率響應 Frequency response   隔聲測試 Sound insulation test   混響測試 Reverberation time test

新風 Ventilation   環保 Zero emission   抗菌 Anti-bacteria   隔音 Sound insulation   防水 Waterproof   阻燃 Fireproof

品名型號	SR-M（E5）	Product model	SR-M（E5）

| 艙內配備	★適配100~240V/50~60Hz電源供應系統，符合不同電源使用需求 ★艙室4000K/879LM自然光中央照明系統 ★渦輪正壓新風系統 ★紅外感應啟動裝置+手動開關 ★應急安全槌	Booth facilities	★ 100~240V/50~60Hz power supply. ★ 4000K/879LM natural lighting system. ★ Turbo fresh air system. ★ Motion sensor and switch control for light and fan. ★ Emergency safety hammer.
家具配置	ST-09 角幾＊1 SY-09(L/R)角凳＊2	Furniture options	ST-09 desk＊1　SY-09(L/R) chair＊2
規格重量	包裝：W2270*D910*H1080mm　艙體：W1500*D1236*H2300mm 艙內：W1340*D1200*H2140mm　重量：毛重450kg／净重390kg	Dimensions	Package size: W2270*D910*H1080mm　External size: W1500*D1236*H2300mm Internal size: W1340*D1200*H2140mm　Gross weight: 450kg　Net weight: 390kg

説明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　頻率響應 Frequency response　隔音測試 Sound insulation test　混響測試 Reverberation time test

Movable Silence Booth Size M　R'max　28.6dB

Size M RT
Cursor values
X: 1kHz
T20: 0.1s

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

---

品名型號	SR-L（F6）	Product model	SR-L（F6）

| 艙內配備	★適配100~240V/50~60Hz電源供應系統，符合不同電源使用需求 ★艙室4000K/879LM中央照明，雙側4000K自然光背景燈 ★雙渦輪正壓新風系統 ★紅外感應啟動裝置+手動開關 ★網端接入口 ★應急安全槌	Booth facilities	★ 100~240V/50~60Hz power supply. ★ 4000K/879LM central lighting, 　4000K natural background lighting on both side. ★ Turbo fresh air system. ★ Motion sensor and switch control for light and fan. ★ Network port. ★ Emergency safety hammer.
家具配置	ST-05 臺幾＊1　SY-05(L/R)沙發＊2　SJ-01 顯示支架（選購）	Furniture options	ST-05 desk＊1　SY-05(L/R) sofa＊2　SJ-01 TV bracket(Optional)
規格重量	包裝：W2270*D1060*H1080mm　艙體：W2200*D1536*H2300mm 艙內：W2040*D1500*H2140mm　重量：毛重648kg／净重596kg	Dimensions	Package size: W2270*D1060*H1080mm　External size: W2200*D1536*H2300mm Internal size: W2040*D1500*H2140mm　Gross weight: 648kg　Net weight: 596kg

説明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　頻率響應 Frequency response　隔音測試 Sound insulation test　混響測試 Reverberation time test

Movable Silence Booth Size L　R'max　31.8dB

Size L RT
Cursor values
X: 1kHz
T20: 0.15s

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

| | S115 | S235 | S169 | S201 | S211 |

品名型號	SR-XL（F7）	Product model	SR-XL（F7）

| 艙內配備	★適配100~240V/50~60Hz電源供應系統，符合不同電源使用需求 ★艙室6000K/1500LM中央照明，雙側4000K自然光背景燈 ★雙渦輪正壓新風系統 ★紅外感應啟動裝置+手動開關 ★網端接入口 ★應急安全槌	Booth facilities	★100~240V/50~60Hz power supply. ★6000K/1500LM central lighting, 4000K natural background lighting on both side. ★Turbo fresh air system. ★Motion sensor and switch control for light and fan. ★Network port. ★Emergency safety hammer.
家具配置	ST-06 臺幾 * 1 SY-06 (L/R)沙發 * 2 SJ-01 顯示支架（選購）	Furniture options	ST-06 desk * 1 SY-06(L/R) sofa * 2 SJ-01 TV bracket(Optional)
規格重量	包裝：W2270*D1190*H1080mm 艙體：W2200*D2136*H2300mm 艙內：W2040*D2100*H2140mm 重量：毛重790kg / 淨重721kg	Dimensions	Package size: W2270*D1190*H1080mm External size: W2200*D2136*H2300mm Internal size: W2040*D2100*H2140mm Gross weight: 790kg Net weight: 721kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note：The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

Size XL RT
Cursor values
X: 1KHz
T20: 0.15s

語言清晰度 Speech intelligibility	頻率響應 Frequency response	隔音測試 Sound insulation test	混響測試 Reverberation time test

| 新風 Ventilation | E0 環保 Zero emission | 抗菌 Anti-bacteria | 隔音 Sound insulation | 防水 Waterproof | 阻燃 Fireproof |

| | S115 | S235 | S169 | S201 | S211 |

品名型號	SR-XXL（F8）	Product model	SR-XXL（F8）

| 艙內配備	★適配100~240V/50~60Hz電源供應系統，符合不同電源使用需求 ★艙室6000K/2000LM中央照明，雙側4000K自然光背景燈 ★四渦輪正壓新風系統 ★紅外感應啟動裝置+手動開關 ★網端接入口 ★應急安全槌	Booth facilities	★100~240V/50~60Hz power supply. ★6000K/2000LM central lighting, 4000K natural background lighting on both side. ★Turbo fresh air system. ★Motion sensor and switch control for light and fan. ★Network port. ★Emergency safety hammer.
家具配置	ST-10 會議桌 * 1 SY-03 會議椅 * 8 SJ-01 顯示支架（選購）	Furniture options	ST-10 desk * 1 SY-03 chair * 8 SJ-01 TV bracket(Optional)
規格重量	包裝：W2910*D1000*H1120mm 艙內：W2840*D4200*H2140mm W2260*D1110*H1250mm 艙體：W3000*D4236*H2300mm 木架：W4300*D520*H335mm 重量：毛重1580kg / 淨重1442kg	Dimensions	Package size: W2910*D1000*H1120mm External size: W3000*D4236*H2300mm Internal size: W2840*D4200*H2140mm Wooden frame: W4300*D520*H335mm Gross weight: 1580kg Net weight: 1442kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note：The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

Size XXL RT
Cursor values
X: 1KHz
T20: 0.10s

語言清晰度 Speech intelligibility	頻率響應 Frequency response	隔音測試 Sound insulation test	混響測試 Reverberation time test

| 新風 Ventilation | E0 環保 Zero emission | 抗菌 Anti-bacteria | 隔音 Sound insulation | 防水 Waterproof | 阻燃 Fireproof |

雙層夾膠玻璃 Double laminated glass

增強版爲迎合功能場景和高噪聲環境的訴求而生，采用5+1.52+5非對等厚度夾膠結構玻璃，提高了玻璃的安全性，徒而降低了玻璃的振幅效應，實現玻璃阻聲指數提升。

The framed version is design to meet the demands of functional scenes and high-noise environments, and adopts 5+1.52+5 non-equivalent thickness laminated structural glass, which improves the safety of glass, calmly reduces the amplitude effect of glass, and improves the sound insulation performance of the glass.

隔聲艙體 Sound insulation booth

INSUL MARSHALL ACOUSTIC 聲學模擬設計準確預知，采用隔聲性能優越的碳塑復合材質構建無龍骨模塊化艙體，易安裝和靈動性的同時，滿足了艙體隔聲和艙室聲環境指標。

INSUL MARSHALL ACOUSTIC acoustic simulation accurately displayed that by using superior sound insulation carbon plastic composite material, we can achieve easy installation and flexibility while assuring good sound insulation performance.

聲學內飾 Acoustic interior

內飾材質迎合INSUL MARSHALL ACOUSTIC聲學模擬設計，艙室60%當量面積爲 Polyester Fibers 吸聲物，爲實現寬頻響應局部物料特殊工藝處理，技術整合了40%當量面積的活躍反射聲。

Our booth has an effective area of 60% covered Polyester Fiber sound absorbing material.

液壓閉門 Hydraulic door closer

適應艙體設計的迷你液壓閉門器，保障了艙門的限位、定位、合閉自如，液壓合閉力配合三元乙丙氣密膠條，如願實現了艙體的氣密隔聲性能。

The tailor-made hydraulic door closer designed to guarantee the restriction, positioning and closing of the hatch. The hydraulic closing design, together with the EPDM airtight rubber strips maximize the airtight and soundproof performance of the booth.

雙層隔聲玻璃 Insulating glass

聲學內飾 Acoustic interior

隔聲艙體 Soundproof cabin

氣密門框 Airtight door frame

The SR series
MOVABLE SILENCE BOOTH

增强版
SR PLUS

品名型號 SRP-S（F1）　　　　　　　　　　　**Product model** SRP-S（F1）

艙內配備
★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★ 艙室4000K/421LM自然光中央照明系統
★ 渦輪正壓新風系統
★ 紅外感應啟動裝置+手動開關
★ 雙層非等厚夾膠玻璃
★ 加強框體液壓艙門
★ 應急安全槌

Booth facilities
★ 100-240V/50-60Hz power supply.
★ 4000K/421LM natural lighting system.
★ Turbo fresh air system.
★ Motion sensor and switch control for light and fan.
★ Double-layer non-equal thick laminated glass
★ Advanced framed hydraulic door.
★ Emergency safety hammer.

家具配置 ST-01 壁挂桌＊1　SY-01 高脚椅＊1

Furniture options ST-01 desk*1　SY-01 chair*1

規格重量
包裝：W2270*D550*H1080mm　　艙體：W1000*D986*H2300mm
艙內：W840*D900*H2140mm　　重量：毛重286kg/净重242kg

Dimensions
Package size: W2270*D550*H1080mm　　External size: W1000*D986*H2300mm
Internal size: W840*D900*H2140mm　　Gross weight: 286kg　Net weight: 242kg

説明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　頻率響應 Frequency response　隔聲測試 Sound insulation test　混響測試 Reverberation time test

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

---

品名型號 SRP-S（F2）　　　　　　　　　　　**Product model** SRP-S（F2）

艙內配備
★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★ 艙室4000K/421LM自然光中央照明系統
★ 渦輪正壓新風系統
★ 紅外感應啟動裝置+手動開關
★ 雙層非等厚夾膠玻璃
★ 加強框體液壓艙門
★ 應急安全槌

Booth facilities
★ 100-240V/50-60Hz power supply.
★ 4000K/421LM natural lighting system.
★ Turbo fresh air system.
★ Motion sensor and switch control for light and fan.
★ Double-layer non-equal thick laminated glass
★ Advanced framed hydraulic door.
★ Emergency safety hammer.

家具配置 ST-02 壁挂桌＊1　SY-01 高脚椅＊1

**Furniture options** ST-02 desk*1　SY-01 chair*1

規格重量
包裝：W2270*D550*H1080mm　　艙體：W1000*D986*H2300mm
艙內：W840*D900*H2140mm　　重量：毛重286kg/净重242kg

Dimensions
Package size: W2270*D550*H1080mm　　External size: W1000*D986*H2300mm
Internal size: W840*D900*H2140mm　　Gross weight: 286kg　Net weight: 242kg

説明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　頻率響應 Frequency response　隔聲測試 Sound insulation test　混響測試 Reverberation time test

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

Left Page — SRP-M（F3）

| 品名型號 | SRP-M（F3） | Product model | SRP-M（F3） |

艙內配備
★適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★艙室4000K/879LM自然光中央照明系統
★渦輪正壓新風系統
★紅外感應啟動裝置+手動開關
★雙層非等厚夾膠玻璃
★加強框體液壓艙門
★應急安全槌

Booth facilities
★ 100-240V/50-60Hz power supply.
★ 4000K/879LM natural lighting system.
★ Turbo fresh air system.
★ Motion sensor and switch control for light and fan.
★ Double-layer non-equal thick laminated glass
★ Advanced framed hydraulic door.
★ Emergency safety hammer.

家具配置
ST-03 吧臺桌 *1
SY-01 高腳椅 * 2

Furniture options
ST-03 desk*1   SY-01 chair*2

規格重量
包裝：W2270*D910*H1080mm   艙體：W1500*D1236*H2300mm
艙內：W1340*D1200*H2140mm   重量：毛重456kg / 淨重396kg

Dimensions
Package size: W2270*D910*H1080mm   External size: W1500*D1286*H2300mm
Internal size: W1340*D1200*H2140mm   Gross weight: 456kg   Net weight: 396kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note：The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

| 語言清晰度 Speech intelligibility | 頻率響應 Frequency response | 隔聲測試 Sound insulation test | 混響測試 Reverberation time test |

新風 Ventilation   環保 Zero emission   抗菌 Anti-bacteria   隔音 Sound insulation   防水 Waterproof   阻燃 Fireproof

Right Page — SRP-M（E5）

| 品名型號 | SRP-M（E5） | Product model | SRP-M（E5） |

艙內配備
★適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★艙室4000K/879LM自然光中央照明系統
★渦輪正壓新風系統
★紅外感應啟動裝置+手動開關
★雙層非等厚夾膠玻璃
★加強框體液壓艙門
★應急安全槌

Booth facilities
★ 100-240V/50-60Hz power supply.
★ 4000K/879LM natural lighting system.
★ Turbo fresh air system.
★ Motion sensor and switch control for light and fan.
★ Double-layer non-equal thick laminated glass
★ Advanced framed hydraulic door.
★ Emergency safety hammer.

家具配置
ST-09 角幾 * 1
SY-09 (L/R)角凳 * 2

**Furniture options**
ST-09 desk * 1   SY-09(L/R) chair * 2

規格重量
包裝：W2270*D910*H1080mm   艙體：W1500*D1236*H2300mm
艙內：W1340*D1200*H2140mm   重量：毛重456kg / 淨重396kg

Dimensions
Package size: W2270*D910*H1080mm   External size: W1500*D1286*H2300mm
Internal size: W1340*D1200*H2140mm   Gross weight: 456kg   Net weight: 396kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note：The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

| 語言清晰度 Speech intelligibility | 頻率響應 Frequency response | 隔聲測試 Sound insulation test | 混響測試 Reverberation time test |

新風 Ventilation   環保 Zero emission   抗菌 Anti-bacteria   隔音 Sound insulation   防水 Waterproof   阻燃 Fireproof

| 品名型號 | SRP-M（F4） | Product model | SRP-M（F4） |

艙內配備
- ★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
- ★ 艙室4000K/879LM自然光中央照明系統
- ★ 渦輪正壓新風系統
- ★ 紅外感應啟動裝置+手動開關
- ★ 雙層非等厚夾膠玻璃
- ★ 加強框體液壓艙門
- ★ 應急安全槌

Booth facilities
- ★ 100-240V/50-60Hz power supply.
- ★ 4000K/879LM natural lighting system.
- ★ Turbo fresh air system.
- ★ Motion sensor and switch control for light and fan.
- ★ Double-layer non-equal thick laminated glass
- ★ Advanced framed hydraulic door.
- ★ Emergency safety hammer.

家具配置
ST-04 辦公桌＊1
SY-02 辦公椅＊1

Furniture options
ST-04 desk*1 SY-02 chair*1

規格重量
包裝：W2270*D910*H1080mm　艙體：W1500*D1236*H2300mm
艙內：W1340*D1200*H2140mm　重量：毛重456kg／淨重396kg

Dimensions
Package size: W2270*D910*H1080mm　External size: W1500*D1286*H2300mm
Internal size: W1340*D1200*H2140mm　Gross weight: 456kg　Net weight: 396kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　　頻率響應 Frequency response　　隔聲測試 Sound insulation test　　混響測試 Reverberation time test

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

---

| 品名型號 | SRP-L（F6） | Product model | SRP-L（F6） |

艙內配備
- ★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
- ★ 艙室4000K/879LM中央照明，雙側4000K自然光背景燈
- ★ 雙渦輪正壓新風系統
- ★ 紅外感應啟動裝置+手動開關
- ★ 雙層非等厚夾膠玻璃
- ★ 加強框體液壓艙門
- ★ 網端接入口
- ★ 應急安全槌

Booth facilities
- ★ 100-240V/50-60Hz power supply.
- ★ 4000K/879LM central lighting, 4000K natural background lighting on both side.
- ★ Turbo fresh air system.
- ★ Motion sensor and switch control for light and fan.
- ★ Double-layer non-equal thick laminated glass
- ★ Advanced framed hydraulic door.
- ★ Network port.
- ★ Emergency safety hammer.

家具配置
ST-05 臺幾＊1　SY-05（L/R）沙發＊2　SJ-01 顯示支架（選購）

Furniture options
ST-05 desk＊1　SY-05（L/R）sofa＊2　SJ-01 TV bracket(Optional)

規格重量
包裝：W2270*D1060*H1080mm　艙體：W2200*D1586*H2300mm
艙內：W2040*D1500*H2140mm　重量：毛重667kg／淨重602kg

Dimensions
Package size: W2270*D1060*H1080mm　External size: W2200*D1586*H2300mm
Internal size: W2040*D1500*H2140mm　Gross weight: 667kg　Net weight: 602kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　　頻率響應 Frequency response　　隔聲測試 Sound insulation test　　混響測試 Reverberation time test

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

品名型號	SRP-XL（F7）	Product model	SRP-XL（F7）

| 艙內配備 | ★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★ 艙室6000K/1500LM中央照明，雙側4000K自然光背景燈
★ 雙渦輪正壓新風系統
★ 紅外感應啟動裝置+手動開關
★ 雙層非等厚夾膠玻璃
★ 加強框體液壓艙門
★ 網端接入口
★ 應急安全槌 | Booth facilities | ★ 100-240V/50-60Hz power supply.
★ 4000K/1500LM central lighting, 4000K natural background lighting on both side.
★ Turbo fresh air system.
★ Motion sensor and switch control for light and fan.
★ Double-layer non-equal thick laminated glass
★ Advanced framed hydraulic door.
★ Network port.
★ Emergency safety hammer. |

| 家具配置 | ST-06 臺幾＊1　SY-06 (L/R)沙發＊2　SJ-01 顯示支架（選購） | Furniture options | ST-06 desk＊1　SY-06(L/R) sofa＊2　SJ-01 TV bracket(Optional) |

| 規格重量 | 包裝：W2270*D1190*H1080mm　艙體：W2200*D2136*H2300mm
艙內：W2040*D2100*H2140mm　重量：毛重796kg／淨重727kg | Dimensions | Package size: W2270*D1190*H1080mm　External size: W2200*D2136*H2300mm
Internal size: W2040*D2100*H2140mm　Gross weight: 796kg　Net weight: 727kg |

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

| 語言清晰度 Speech intelligibility | 頻率響應 Frequency response | 隔聲測試 Sound insulation test | 混響測試 Reverberation time test |

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

---

品名型號	SRP-XXL（F8）	Product model	SRP-XXL（F8）

| 艙內配備 | ★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★ 艙室6000K/2000LM中央照明，雙側4000K自然光背景燈
★ 四渦輪正壓新風系統
★ 紅外感應啟動裝置+手動開關
★ 雙層非等厚夾膠玻璃
★ 加強框體液壓艙門
★ 網端接入口
★ 應急安全槌 | Booth facilities | ★ 100-240V/50-60Hz power supply.
★ 6000K/2000LM central lighting, 4000K natural background lighting on both side.
★ Turbo fresh air system.
★ Motion sensor and switch control for light and fan.
★ Double-layer non-equal thick laminated glass
★ Advanced framed hydraulic door.
★ Network port.
★ Emergency safety hammer. |

| 家具配置 | ST-10 會議桌＊1　SY-03 會議椅＊8 | Furniture options | ST-10 desk＊1　SY-03 chair＊8 |

| 規格重量 | 包裝：W2910*D1000*H1120mm　艙內：W2840*D4250*H2140mm
　　　　W2260*D1110*H1250mm　艙體：W3000*D4286*H2300mm
木架：W4300*D520*H335mm　重量：毛重1587kg／淨重1457kg | Dimensions | Package size: W2910*D1000*H1120mm　Internal size: W2840*D4250*H2140mm
　　　　　　　　W2260*D1110*H1250mm　External size: W3000*D4286*H2300mm
Wooden frame: W4300*D520*H335mm　Gross weight: 1587kg　Net weight: 1457kg |

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

| 語言清晰度 Speech intelligibility | 頻率響應 Frequency response | 隔聲測試 Sound insulation test | 混響測試 Reverberation time test |

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

| 品名型號 | SRP-M（E2） | | Product model | SRP-M（E2） |

艙內配備
★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★ 艙室4000K/879LM自然光中央照明系統
★ 渦輪正壓新風系統
★ 紅外感應啓動裝置+手動開關
★ 雙層非等厚夾膠玻璃
★ 加強框體液壓艙門
★ 應急安全槌

Booth facilities
★ 100-240V/50-60Hz power supply.
★ 4000K/879LM natural lighting system.
★ Turbo fresh air system.
★ Motion sensor and switch control for light and fan.
★ Double-layer non-equal thick laminated glass
★ Advanced framed hydraulic door.
★ Emergency safety hammer.

家具配置 增強隔音

Furniture options Enhanced sound insulation

規格重量 包裝：W2270*D910*H1080mm 艙體：W1500*D1286*H2300mm
艙內：W1340*D1200*H2140mm 重量：毛重448kg／净重388kg

Dimensions
Package size: W2270*D910*H1080mm External size: W1500*D1286*H2300mm
Internal size: W1340*D1200*H2140mm Gross weight: 448kg Net weight: 388kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　　頻率響應 Frequency response　　隔聲測試 Sound insulation test　　混響測試 Reverberation time test

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

---

| 品名型號 | SRP-ML（E3） | | Product model | SRP-ML（E3） |

艙內配備
★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★ 艙室4000K/879LM自然光中央照明系統
★ 雙渦輪正壓新風系統
★ 電源獨立開關
★ 雙層非等厚夾膠玻璃
★ 加強框體液壓艙門
★ 應急安全槌

Booth facilities
★ 100-240V/50-60Hz power supply.
★ 4000K/879LM natural lighting system.
★ Turbo fresh air system.
★ Motion sensor and switch control for light and fan.
★ Double-layer non-equal thick laminated glass
★ Advanced framed hydraulic door.
★ Emergency safety hammer.

家具配置 增強隔音

Furniture options Enhanced sound insulation

規格重量 包裝：W2270*D1190*H1080mm 艙體：W1500*D1886*H2300mm
艙內：W1340*D1800*H2140mm 重量：毛重502kg／净重432kg

Dimensions
Package size: W2270*D1190*H1080mm External size: W1500*D1886*H2300mm
Internal size: W1340*D1800*H2140mm Gross weight: 502kg Net weight: 432kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility　　頻率響應 Frequency response　　隔聲測試 Sound insulation test　　混響測試 Reverberation time test

新風 Ventilation　環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

MOVABLE
SILENCE BOOTH

户外版
SRP Waterproof

防水 Waterproof

保温 Thermal insulation

空調 Air conditioner

照明 Lighting

防水 Waterproof

艙體Ⅲ級防水標準設計，艙體采用碳塑、鋁、玻璃三種抗水性耐腐材質，適應戶外高溫寒冬全天候環境，部件接合結構雙重防滲氣密膠封。

Following Grade III waterproof standard, the silence booth use water and corrosion resistant carbon plastic composite panel, aluminum and tempered glass to form its main structure, which ensure high adaptation to the outdoor extreme high & low temperature. At the same time, the use of a hermetic seal at the joint of the components forms a double anti-leaching structure.

保温 Thermal insulation

碳塑復合板優良的抗水、防曬、抗酸、抗鹽、抗腐、零排放、耐燃的特點，配置中空玻璃的優勢保溫特性，構建了艙體優良的保溫節能指數。

The excellent water resistance, sunlight resistance, acid resistance, salt resistance, corrosion resistance, zero emission and fire resistance of the carbon plastic composite panel, configured with the advantageous heat preservation characteristics of the hollow glass, builds the excellent heat preservation and energy saving performance of the booth.

空調 Air Conditioner

L/XL艙體頂置一體式空調系統，500W/24V耗電功率，2500W制冷量，蒸發器風量設定爲350m³/h，R32 環保制冷媒劑，讓我們滿足溫度調節時也保護地球的臭氧層。

L/XL model silence booth is equipped with top-mounted integrated air conditioning system, 500W/24V power consumption, 2500W cooling capacity, evaporator air volume is set to 350m3/h, R32 environmental friendly refrigerant, so that we meet the temperature regulation when also protect the earth's ozone layer.

照明 Lighting

艙室4000K自然光色溫 LED 中央主照明系統，1600Lux 光照滿足常態使用需求，兩側座位頂置 LED 藏燈補光，迎合艙室迷爾空間心理環境光學。

Equipped with the 4000K natural light color temperature LED central main lighting system in the silence booth, its 1600Lux illumination meets the needs of regular use demand with LED hidden lights on the top of the seats on both sides, which caters to the psychological environment optics of the silence booth.

品名型號	SRPW-L（F6）	Product model	SRPW-L（F6）

S115 S235 S169 S201 S211

| 艙內配備	★適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求 ★艙室4000K/879LM中央照明，雙側4000K自然光背景燈 ★頂置一體式空調系統 ★紅外感應啟動裝置+手動開關 ★雙層19mm中空玻璃 ★加強框體液壓艙門 ★網端接入口 ★應急安全錘	Booth facilities	★100-240V/50-60Hz power supply. ★4000K/879LM central lighting, 4000K natural background lighting on both side. ★Top-mounted Air Conditioner. ★Motion sensor and switch control for light and fan. ★Double-layer 19mm insulating glass. ★Advanced framed hydraulic door. ★Network port. ★Emergency safety hammer.
家具配置	ST-05 臺幾＊1　SY-05（L/R)沙發＊2　SJ-01 顯示支架（選購）	Furniture options	ST-05 desk＊1　SY-05(L/R) sofa＊2　SJ-01 TV bracket(Optional)
規格重量	包裝：W2270*D1060*H1080mm　　艙體：W2200*D1586*H2300mm 艙內：W2040*D1500*H2140mm　　重量：毛重707kg／淨重642kg	Dimensions	Package size: W2270*D1060*H1080mm　　External size: W2200*D1586*H2300mm Internal size: W2040*D1500*H2140mm　　Gross weight: 707kg　Net weight: 642kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility	頻率響應 Frequency response	隔聲測試 Sound insulation test	混響測試 Reverberation time test

新風 Ventilation　E0 環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fimproof

---

品名型號	SRPW-XL（F7）	Product model	SRPW-XL（F7）

S115 S235 S169 S201 S211

| 艙內配備	★適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求 ★艙室6000K/1500LM中央照明，雙側4000K自然光背景燈 ★頂置一體式空調系統 ★紅外感應啟動裝置+手動開關 ★雙層19mm中空玻璃 ★加強框體液壓艙門 ★網端接入口 ★應急安全錘	Booth facilities	★100-240V/50-60Hz power supply. ★6000K/1500LM central lighting, 4000K natural background lighting on both side. ★Top-mounted Air Conditioner. ★Motion sensor and switch control for light and fan. ★Double-layer 19mm insulating glass. ★Advanced framed hydraulic door. ★Network port. ★Emergency safety hammer.
家具配置	ST-06 臺幾＊1　SY-06（L/R)沙發＊2　SJ-01 顯示支架（選購）	Furniture options	ST-06 desk＊1　SY-06(L/R) sofa＊2　SJ-01 TV bracket(Optional)
規格重量	包裝：W2270*D1190*H1080mm　　艙體：W2200*D2186*H2300mm 艙內：W2040*D2100*H2140mm　　重量：毛重830kg／淨重761kg	Dimensions	Package size: W2270*D1190*H1080mm　　External size: W2200*D2186*H2300mm Internal size: W2040*D2100*H2140mm　　Gross weight: 830kg　Net weight: 761kg

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility	頻率響應 Frequency response	隔聲測試 Sound insulation test	混響測試 Reverberation time test

新風 Ventilation　E0 環保 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fimproof

品名型號	SRPW-XXL（F8）	Product model	SRPW-XXL（F8）

| 艙內配備 | ★ 適配100-240V/50-60Hz電源供應系統，符合不同電源使用需求
★ 艙室6000K/2000LM中央照明，雙側4000K自然光背景燈
★ 壁掛式家用空調系統預留安裝位（不含空調機）
★ 紅外感應啓動裝置+手動開關
★ 雙層19mm中空玻璃
★ 加強框體液壓艙門
★ 網端接入口
★ 應急安全槌 | Booth facilities | ★ 100-240V/50-60Hz power supply.
★ 6000K/2000LM central lighting, 4000K natural background lighting on both side.
★ Preset installation position of air conditioning (excluding air conditioner).
★ Motion sensor and switch control for light and fan.
★ Double-layer 19mm insulating glass.
★ Advanced framed hydraulic door.
★ Network port.
★ Emergency safety hammer. |

| 家具配置 | ST-10 會議桌 * 1   SY-03 會議椅 * 8 | Furniture options | ST-10 desk * 1   SY-03 chair * 8 |

| 規格重量 | 包裝：W3120*D980*H1020mm 艙內：W2840*D4250*H2140mm
　　　 W2300*D1440*H1370mm 艙體：W3000*D4286*H2300mm
木架：W4300*D660*H385mm 重量：毛重1590kg / 淨重1460kg | Dimensions | Package size: W3120*D980*H1020mm Internal size: W2840*D4250*H2140mm
W2300*D1440*H1370mm External size: W3000*D4286*H2300mm
Wooden frame: W4300*D660*H385mm Gross weight: 1590kg Net weight: 1460kg |

說明：藍牙音響、磨砂貼膜、移動套件按需選購。重量不含配套的家具、電器、設備。

Note: The movable kits, frosted films are sold separately as needed.
Weight does not include matching furniture, electrical appliances, and equipment.

語言清晰度 Speech intelligibility	頻率響應 Frequency response	隔聲測試 Sound insulation test	混響測試 Reverberation time test

新風 Ventilation　環保 E0 Zero emission　抗菌 Anti-bacteria　隔音 Sound insulation　防水 Waterproof　阻燃 Fireproof

家具配置 Furniture options

F1組合 Option
品名 Name
ST-01 壁挂桌 * 1　　ST-01 desk*1
SY-01 高脚椅 * 1　　SY-01 chair*1

F2組合 Option
品名 Name
ST-02 壁挂桌 * 1　　ST-02 desk*1
SY-01 高脚椅 * 1　　SY-01 chair*1

F3組合 Option
品名 Model
ST-03 吧臺桌 * 1　　ST-03 desk*1
SY-01 高脚椅 * 2　　SY-01 chair*1

F4組合 Option
品名 Model
ST-04 辦公桌 * 1　　ST-04 desk*1
SY-02 辦公椅 * 1　　SY-02 chair*1

E5組合 Option
品名 Model
ST-09 角幾 * 1　　　ST-09 desk * 1
SY-09 (L/R)角凳 * 2　SY-09(L/R) chair * 2

F6組合 Option
品名 Model
ST-05 臺幾 * 1　　　　ST-05 desk*1
SY-05 (L/R)沙發* 2　　SY-05(L/R) sofa * 2
SJ-01 顯示支架（選購）
SJ-01 TV bracket (Optional)

F7組合 Option
品名 Model
ST-06 臺幾*1　　　　ST-06 desk * 1
SY-06 (L/R)沙發* 2　SY-06(L/R) sofa * 2
SJ-01 顯示支架（選購）
SJ-01 TV bracket (Optional)

F8組合 Option
品名 Model
ST-10 會議桌*1　　　ST-10 desk * 1
SY-03 會議椅 * 8　　 SY-03 chair * 8
SJ-01 顯示支架（選購）
SJ-01 TV bracket (Optional)

Office 辦公場景第三空間

Third Space

創造交流機會是給工作機器注入潤滑劑，有效的溝通是減少管理成本最優方案。一杯咖啡，一通私話，一群閒聊，Soundbox靜音空間各有各愛，讓工作裏的生活不再被綁架。

Providing a good environment and platform for ideas creation and exchange is part of our daily work. Our booth is the platform that gives you your desired environment.
A cup of coffee, a private call or a small talk, whenever you need to take a break from work and need a place to relax.

辦公 Office　接待 Reception　會議 Meeting　復印 Printing　電話 Phone

Public 公共場景第三空間

Third Space

酒店、機場車站、政務中心、醫院等公共空間人嚷熙熙，電話、交談、公務、休息變得如此不勘，Soundbox靜音艙讓公共不再公共，我的空間我作主……

It is always noisy when we want to take some rest in public places. It is always difficult for us to make a phone call, to have a conversation when we are in public places like hotel, airport, train stations, hospital. Soundbox Silence Booth creates a private space inside the public area, giving you enough quietness.

辦公 Office　接待 Reception　會議 Meeting　復印 Printing　電話 Phone

Live Show